


PLUG & PRODUCE: WITH THE NEW SMART PRESS KIT



FASTER, MORE PRODUCTIVE AND SMARTER PRESSING. THE NEW SMART PRESS KIT.

Times are changing, and so are industry requirements and processes. The trend is shifting away from individual products to complete system kits that make it possible to create easy and fast solutions with greater independence. The same applies to all pressing and joining processes in the Factory of the Future.

The new Smart Press Kit from Bosch Rexroth accurately meets the industry requirements for machine and plant manufacturers. It is a fast, efficient and comprehensive solution for easy applications with pressing and joining processes.

It functions according to the Plug & Produce principle and works with proven Rexroth components as well as state-of-the-art browser based user interface for all types of devices.

The time spent on engineering can be reduced by up to 95% thanks to simple product selection, as well as fast commissioning and process configuration.

SMART FACTS

The new software with an intuitive, modern design is I4.0 capable thanks to a connection via OPC-UA.

- All mechanical and electrical hardware from Rexroth
- Easy, fast commissioning with automatic configuration and parameterization of the servo drive. The integrated motion control minimizes the number of interfaces
- Support for error handling through plain text error messages in the software



ONE SYSTEM SOLUTION

MANY BENEFITS



Easy product selection

- Preselected mechanical, electrical and software components are combined in various kits for forces from 2 to 30 kN
- All components from a single supplier – with proven Rexroth quality




Plug & Produce

- Delivered in a single package, including preinstalled operating software
- Automatic parameterization of the servo drive
- Small number of interfaces (servo drive with integrated motion control)



Zero programming

- No programming knowledge required
- Easy and logical configuration of the process and the evaluation elements
- Device independent browser based HMI
- Modern and intuitive design



The modular Smart Press Kit consists of:

- Mechanics (electromechanical cylinder and force sensor)
- Electrical components (motor, servo drive and motion control)
- Software (commissioning, operation and process analysis)

The Smart Press Kit can be used for assembly, joining, forming and testing applications.

And all of this with a single point of contact, one selection tool as well as one single order and delivery.

FIVE STEPS TO THE FACTORY OF THE FUTURE WITH THE SMART PRESS KIT

Bosch Rexroth is a pioneer in the digitalization of Linear Motion Technology and in pressing and joining processes. Proven Rexroth technology as well as innovative products and solutions are delivered along the entire process chain. Initial solutions on the road to the Factory of the Future – such as the Smart Press Kit – are already available, and more are set to follow.




5. SERVICE & MAINTENANCE

- All current system parameters at a glance: Status report and quality statistics
- Error handling with error messages displayed as plain text in the software
- Predictive maintenance functions and maintenance support are in the pipeline



4. OPERATION & DIAGNOSIS

- Visualization of process and status information
- Live display of force-displacement curves with subsequent analysis
- Visualization of process results (OK/NOK)
- Storing of all process data with quality evaluation in an internal database
- Data export of process results via web HMI
- IoT connection via OPC-UA





1. EASY PRODUCT SELECTION AND CONFIGURATION

- Preselected kits for forces from 2 to 30 kN
- Fast selection and sizing with LinSelect
- Just five clicks in the configurator to the final product

SMART PRESS KIT



2. FAST ORDERING & DELIVERY

- Online ordering 24/7 in the Rexroth eShop
- All components from a single supplier
- Everything in a single package and a single delivery




3. INTUITIVE COMMISSIONING & PROCESS CONFIGURATION

- Preinstalled operating software with automatic parameterization of the servo drive
- Only a small number of interfaces thanks to an integrated motion control
- Guided commissioning via a set-up wizard
- No programming knowledge required

SMART PRESS KIT – THE APPLICATIONS


Whether it's for assembly and joining, or forming, or testing, the Smart Press Kit ensures easy commissioning, shorter time-to-market and maximum productivity in the production process.

ASSEMBLY AND JOINING




PRESS-FITTING

Example: Stator packages for electric motors




CRIMPING

Examples: Hoses, cables and plastic parts in the automotive industry




ASSEMBLING

Example: Bearing in to housing




RIVETING

Example: Economical joining of sheet metal parts




BONDING

Example: Bonding of plastic and composite materials




INSERTING

Examples: Integration of magnets in lamination stacks in electric motor production



WELDING

Example: Hot plate welding



CLIPPING


Example: Connector contacts in connector housing

WIDE RANGE OF APPLICATIONS

The Smart Press Kit is suitable for a wide range of standardized pressing and joining applications. It is a flexible, compact and future-proof system solution.


- ▶ Efficient assembly and joining processes in many different industrial sectors
- ▶ Forming processes in the metal and plastics industries as well as packaging technology
- ▶ Testing tasks in development, quality assurance and test laboratories

FORMING




BENDING

Example: Sheet metal in the metal industry




EMBOSSING

Example: Logos in plastic film in the plastics or packaging industries



DEEP DRAWING


Example: Forming of thin sheet materials



SHAPING


Example: Boxes in the packaging industry

TESTING



TESTING / MEASUREMENT

Example:
Material test stands



TESTING


Examples: Test setups, e.g. for dampers, springs, brake pedals

FROM INDIVIDUAL COMPONENTS TO A SYSTEM SOLUTION

With the new Smart Press Kit, Bosch Rexroth delivers for the very first time a ready-to-use system of proven Rexroth components for joining processes, including an easy, web-based software solution.

The Smart Press Kit consists of perfectly matching hardware and software components. It can be used either as a stand-alone solution or integrated in higher-level systems via field bus.

HARDWARE



Power and encoder cable (5m or 10m) and cable for force sensor (15m) are included.

READY FOR

INDUSTRY 4.0


SOFTWARE



Tablet not included
in scope of delivery.

INTUITIVE SOFTWARE – NO PROGRAMMING KNOWLEDGE REQUIRED

Thanks to the modern, intuitive web HMI with modular drag and drop process configuration, the software is ready for immediate use with no previous knowledge required. The graphical creation of all required evaluation and analysis elements is virtually self-explanatory. It couldn't be any simpler or clearer.



COMMISSIONING WITH AUTO CONFIGURATION (PLUG & PRODUCE)

- Preinstalled software
- Wizard for easy, fast commissioning
- Automatic loading of the hardware configuration
- Automatic parameterization of the servo drive
- Support for commissioning with homing and jog mode

Benefits:

- Time savings thanks to Plug & Produce
- Fewer errors and increased productivity
- Significantly reduced complexity




SIMPLE PROGRAMMING AND OPERATION

- Modular process configuration with drag and drop
- Logic check of input data
- Easy graphical creation of evaluation and analysis elements
- Visualization of process and status information in the dashboard

Benefits:

- High level of user friendliness – no programming knowledge required
- Error reduction and avoidance



ANALYSIS AND DIAGNOSIS VIA DASHBOARD

- Analysis of force-displacement curves
- Visualization of process results (OK/NOK)
- Process data storage for quality assurance in an internal database
- Process history with filter and export function
- Diagnostic functions: system parameters as well as status reports and statistics
- Log book with plain text error messages integrated in the software
- Data access via ReST programming interface

Benefits:

- Always up-to-date with current process data such as position, force and speed
- Short reaction times in case of deviations

SMART SELECTION – EASY CONFIGURATION

Combine mechanical and electrical components to create a customized Smart Press Kit in just five clicks. It couldn't be any faster or easier.

1. SIZE

Depending on nominal force

- 002 2kN
- 004 4kN
- 007 7kN
- 012 12kN
- 019 19kN
- 030 30kN

2. STROKE

Depending on size

- 002 35 – 400mm
- 004 40 – 400mm
- 007 65 – 400mm
- 012 80 – 400mm
- 019 70 – 400mm
- 030 90 – 400mm

3. MOTOR ATTACHMENT

- Axial  MF01
- Parallel  RV01

4. FORCE SENSOR

- Without force sensor
- With force sensor

5. CABLE LENGTH

- 5m
- 10m

LinSelect and Online Configurator

For design and configuration, Rexroth uses engineering tools and configurators based on decades of application experience. These represent the first step on the road to the digitalization of Linear Motion Technology.

Selection of the right product with the LinSelect selection and sizing tool is followed by an easy, final configuration in the Online Configurator. Users can then download the CAD files and order the desired configuration in the Rexroth eShop. Thus, it is possible to create and order a customized Smart Press Kit from any location at any time.



Online Configurator

NOW. NEXT. BEYOND.

THE NEW SMART PRESS KIT IS ONLY THE FIRST STEP.

THE FUTURE STARTS HERE

The innovative Smart Press Kit from Bosch Rexroth represents another milestone on the road to the Factory of the Future. Comprehensive systems expertise, including software, is paving the way towards Industry 4.0 for pressing and joining applications. Many functions and services are already available along with proven Rexroth Linear Motion Technology components. Further offerings such as predictive maintenance solutions, for example, will be available in the near future. Bosch Rexroth is a competent, experienced partner for innovative digital Linear Motion Technology solutions. We are ready – now and in future.



THE SMART PRESS KIT IN FACTS & FIGURES

Technical information at a glance.

Size	002	004	007	012	019	030
Stroke [mm]	35...400	40...400	65...400	80...400	70...400	90...400
Nominal force [kN]	2	4	7	12	19	30
Maximum force [kN]	3	6	10	15	20	40
Max. velocity [m/s]	0.38	0.32	0.55	0.5	0.37	0.5
Force sensor/measurement						
Measurement technology	Strain gauge					
Measuring range [kN]	-0.3 ... +3	-0.6 ... +6	-1 ... +10	-1 ... +15	-1 ... +20	-1 ... +40
Sampling rate [Hz]	1000					
Resolution [bit]	14					
Accuracy (linearity) [% FS]	+/- 0.3					
Servo drive (with integrated motion control)						
Power supply [V]	1 x AC 110...230 3 x AC 110...230	1 x AC 110...230 3 x AC 110...230	3 x AC 200...500	3 x AC 200...500	3 x AC 200...500	3 x AC 200...500 3 x AC 200...500
Safety function acc. to EN 61800-5-2	Safe Torque Off (STO) ¹⁾					
Fieldbus interface	Profinet, Ethernet/IP, EtherCAT, Sercos III					
Software functions						
Max. number of programs	99					
Number of program steps per program	500					
Number of digital inputs/outputs	6 inputs + 1 output or 7 inputs					
Force measurement	Unlimited duration, without resolution reduction					
Evaluation elements	Windows, envelopes, thresholds					
Ambient conditions						
Ambient temperature (operation) [°C]	0–50°C (loss of performance at temperatures exceeding 40°C)					
IP protection class	Mechanics: Standard IP54 (up to IP65 possible) Control cabinet hardware: IP20					

¹⁾ Category 4, Performance Level e according to EN ISO 13849-1 and SIL 3 according to EN 62061


ACCESSORIES FOR THE SMART PRESS KIT

Everything you could possibly need.

Bosch Rexroth also provides matching accessories for the Smart Press Kit – from fastening elements to electrical components.

MOUNTING ELEMENTS

Flange mount
Foot mount



ELECTRICAL ACCESSORIES

Uninterruptible power supply
VAU

Mains filter
NFE/NFD

Power supply unit
VAP01

Panel PC
VR

Ethernet cable, 5 m
RKB



For more accessories: www.boschrexroth.com/smart-press-kit

Bosch Rexroth AG

Ernst-Sachs-Straße 100
97424 Schweinfurt, Germany
Tel. +49 9721 937-0
Fax +49 9721 937-275
www.boschrexroth.com

You can find your local contact at:

www.boschrexroth.com/contact

